

# Schedule for escalation of Topiramate Actavis

The treatment begins with a lower dose, which will gradually be increased under the following weeks according to the instructions you received from your doctor.

Starting date: ..... Weekday for changing dosage: .....

Escalation					
		Number of tablets per occasion			Mark when week is over
		Morning	Evening		
<b>Week 1</b>	..... mg/tablet	<input type="text"/> pcs.	<input type="text"/> pcs.	x 7 days	<input type="checkbox"/>
<b>Week 2</b>	..... mg/tablet	<input type="text"/> pcs.	<input type="text"/> pcs.	x 7 days	<input type="checkbox"/>
<b>Week 3</b>	..... mg/tablet	<input type="text"/> pcs.	<input type="text"/> pcs.	x 7 days	<input type="checkbox"/>
<b>Week 4</b>	..... mg/tablet	<input type="text"/> pcs.	<input type="text"/> pcs.	x 7 days	<input type="checkbox"/>
<b>Week 5</b>	..... mg/tablet	<input type="text"/> pcs.	<input type="text"/> pcs.	x 7 days	<input type="checkbox"/>
<b>Week 6</b>	..... mg/tablet	<input type="text"/> pcs.	<input type="text"/> pcs.	x 7 days	<input type="checkbox"/>
<b>Week 7</b>	..... mg/tablet	<input type="text"/> pcs.	<input type="text"/> pcs.	x 7 days	<input type="checkbox"/>
<b>Week 8</b>	..... mg/tablet	<input type="text"/> pcs.	<input type="text"/> pcs.	x 7 days	<input type="checkbox"/>

Additional information: .....

My doctor: ..... Tel: .....

My nurse: ..... Tel: .....

**What should I do if I have taken too much medicine?**

**Seek medical advice immediately if you have taken too much Topiramate Actavis.** Take the medication pack with you. You may feel sleepy or tired or experience abnormal body movements or problems with standing and walking, feel dizzy due to low blood pressure or experience abnormal heartbeat or convulsions.

**What should I do if I forget to take my medicine?**

Do not take extra tablets to compensate for a forgotten dose. If you have forgotten to take your medication, ask your doctor how you should resume. This is very important if any length of time has passed since your last dose.